



College of Pharmacists
of British Columbia

PHARMACY LICENSURE

DIAGRAM REQUIREMENTS (HOSPITAL/SATELLITE)

The following items must be shown on the pharmacy diagram:

- The diagram is professionally drawn to scale (recommended: ¼ inch = 1 foot).
- The diagram includes the scale and measurements.
- The diagram labels each item listed below (as applicable).

PHARMACY (EXTERNAL TO DISPENSARY)

- Separate injection room for injectable opioid agonist treatment (iOAT) including:
 - Stainless steel table AND Sink
- OR** N/A – Pharmacy does not provide iOAT services

DISPENSARY

- Dispensary area
- Medication refrigerator(s)
- Narcotic storage equipment
- Automated dispensing cabinet(s) or unit(s) **OR** N/A
- Bulk or batch packaging area **OR** N/A
- Hazardous drugs storage area **OR** N/A

IF APPLICABLE: STERILE COMPOUNDING (NON-HAZARDOUS and/or HAZARDOUS)

- Relative air pressure (positive or negative) of each room
- ISO class (for each room and any PEC inside of the room)

Sterile Compounding Areas:

- Anteroom (*select all the apply*): Non-Hazardous Hazardous Shared
- Clean room (*select all the apply*): Non-Hazardous Hazardous
- Segregated area (*select all the apply*): Non-Hazardous Hazardous N/A
- Pass-through **OR** N/A
- Demarcation line(s)
- Storage area for hazardous products **OR** N/A
- Storage area for cleaning equipment and supplies



College of Pharmacists
of British Columbia

PHARMACY LICENSURE

DIAGRAM REQUIREMENTS (HOSPITAL/SATELLITE)

Equipment:

- Hands-free sink (in each anteroom)
- Eyewash station
- Refrigerator (select location below) **OR** N/A
 - Location(s): Anteroom Clean room Dedicated storage area (hazardous drugs)
- Freezer (select location below) **OR** N/A
 - Location(s): Anteroom Clean room Dedicated storage area (hazardous drugs)
- Primary Engineering Control (PEC) (*select all the apply*):
 - Non-Hazardous clean room: LAFW CAI N/A
 - Non-Hazardous segregated area: LAFW CAI N/A
 - Hazardous clean room: Class II or III BSC CACI N/A
 - Hazardous segregated area: Class II or III BSC CACI N/A